




# BEARING USA CORP.



7934CTRDULP4 Bearing 2D drawings and 3D CAD models

6.693 Inch | 170 Millimeter x 9.055 Inch | 230 Millimeter x 2.205 Inch | 56 Millimeter 3812-B-TVH Angular Contact Ball Bearing 60x78x14mm

Bearing No. 7934CTRDULP4

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	5.69
EAN	0029176625404
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row   Angular Contact
Long Description	170MM Bore; 230MM Outside Diameter; 56MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Ball Material; 2 (1 Pair)



## BEARING USA CORP.

	Bearings; 15 Degree Contact Angle; Phenolic Cage Material; 1 Rib Outer Ring R
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	7934CTRDULP4
Weight / LBS	12.522
B	2.205 Inch   56 Millimeter
d	6.693 Inch   170 Millimeter
D	9.055 Inch   230 Millimeter
bore diameter:	170 mm
radial static load capacity:	33300 lb
outside diameter:	230 mm
cage material:	Phenolic Resin
overall width:	28 mm
outer ring width:	28 mm
contact angle:	15 °
maximum rpm:	8800 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 7 (ISO Class 4)
closure type:	Open
fillet radius:	0.08 in
bearing material:	Steel (Balls)
series:	7900C
radial dynamic load capacity:	25400 lb



# BEARING USA CORP.