




BEARING USA CORP.



10 mm x 30 mm x 9 mm F-575925.01.TR1-H75
Tapered Roller Bearing 45.98x74.97x14/18mm

Bearing No. 6200ZZ

6200ZZ Bearing 2D drawings and 3D CAD models

Size	10x30x9 mm
Bore Diameter	10 mm
Outer Diameter	30 mm
Width	9 mm
d	10 mm
D	30 mm
B	9 mm
C	9 mm
r min.	0,6 mm
da min.	14 mm
da max	16 mm
Da max.	26 mm
ra max.	0,6 mm
Weight	0,032 Kg
Basic dynamic load rating (C)	5,1 kN
Basic static load rating (C0)	2,39 kN
(Grease) Lubrication Speed	24 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.03
EAN	0029176013621
Product Group	B00308
Enclosure	2 Metal Shields



BEARING USA CORP.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	10MM Bore; 30MM Outside Diameter; 9MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6200ZZ
Weight / LBS	0.07
Bore	0.394 Inch 10 Millimeter
Outside Diameter	1.181 Inch 30 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
bore diameter:	10 mm
static load capacity:	2390 N
outside diameter:	30 mm
precision rating:	Not Rated
overall width:	9 mm
finish/coating:	Uncoated
bore type:	Round



BEARING USA CORP.

cage material:	Steel
closure type:	Double Shielded
outer ring width:	9 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	0.6 mm
internal clearance:	C0
maximum rpm:	30000 RPM
operating temperature range:	-10 to +110 ° C
series:	62
dynamic load capacity:	5100 N
SRI	2.46
hidYobi	6200ZZ
LangID	1
D_	30
SREX	0.03
B_	9
da min	14
hidTable	ecat_NS RDGB
SRE	2.52
mass	0.032
GRS rpm	24000
ra	0.6
SRIX	0.015
D_a	26
SRIN	-0.015
C0	2.39
fo	13.2
SREN	0
DE_	25.262
Prod_Type3	DGBB_SR_ZZ
DA_	4.762



BEARING USA CORP.

bomp	0
Z_	8
yobi	6200ZZ
C_conv	5100
ALPHA_	0
SDM_	20.5
r	0.6
KBRG	6141
SBRG	2
DI_	15.738